

To: Donnelly, Peggy[Donnelly.Peggy@epa.gov]; Maraldo, Dean[Maraldo.Dean@epa.gov]
Cc: Bair, Rita[bair.rita@epa.gov]; Korleski, Christopher[korleski.christopher@epa.gov]; Henry, Timothy[henry.timothy@epa.gov]; Poy, Thomas[poy.thomas@epa.gov]; Mendez, Thomas[mendez.thomas@epa.gov]; Bosscher, Valerie[bosscher.valerie@epa.gov]; Porter, Andrea[porters.andrea@epa.gov]
From: Deltoral, Miguel
Sent: Thur 12/1/2016 5:51:19 PM
Subject: Re: USS Lead Data Summary

According to the latest schedule, we will not have validated data from Zone 3 until Dec 9 through Dec 23 from STAT and Pace. I have been going through the data and updating generating/updating graphs so that all I have to do is plop in any revised numbers if necessary so that we have as many of these ready at least for internal review ahead of the open house next Saturday.

Miguel A. Del Toral
Regulations Manager
U.S. EPA R5 GWDWB
77 West Jackson Blvd, (WG-15J)
Chicago, IL 60604
Phone: (312) 886-5253

From: Donnelly, Peggy
Sent: Wednesday, November 30, 2016 3:02:57 PM
To: Maraldo, Dean
Cc: Bair, Rita; Korleski, Christopher; Henry, Timothy; Poy, Thomas; Deltoral, Miguel; Mendez, Thomas; Bosscher, Valerie; Porter, Andrea
Subject: Re: USS Lead Data Summary

Thanks, Dean, this is really helpful. I think there are still three more homes in Z3 that need S2 sampling, which will hopefully be done by this coming Saturday.

Is someone sharing this information with Bob Kaplan? The SF folks mentioned to me yesterday Bob really wants to be in the loop and know about the water data. He wants to make sure we are sharing results with residents ASAP. And, he also wants WD to participate in the weekly USS Lead meetings on Tuesday mornings. Is it safe to assume Chris, Tim H, Tom P, or Rita will share this data and be participating next Tuesday? If you need anything from us field folks for that meeting (or before) let us know.

CBS news will be in East Chicago interviewing Bob Kaplan tomorrow. (I believe it's the national news crew, coming on their way back from Dakota pipeline filming.)

Finally, the open house in East Chicago is a week from Saturday. Miguel said he will be there to answer water questions. It would be great if we can make as many calls with water results or send as many water result letters as possible before then.

Peg Donnelly

U.S. EPA, R5, Water Division
312-914-4794 cell

Sent from my iPhone

On Nov 30, 2016, at 2:20 PM, Maraldo, Dean <Maraldo.Dean@epa.gov> wrote:

All: here's a quick summary of results for USS Lead sequential sampling. Note that we still have no validated data for Zone 3 properties. New schedule from Superfund has first validated results for Zone 3 coming in on Dec. 9, with additional sets due Dec. 16 and Dec. 23.

So far, 54% of properties sampled, pre-excavation, have at least one sample with lead above action level [66% for Zone 3 and 25% for Zone 2].

We do have validated data for Zone 2 which confirmed the reliability of preliminary data. This applies to Zone 2 only as different labs were used for Zone 3.

USS Lead Sequential Sampling Result Summary 11/30/2016 Draft	Zone 2		Zone 3		Total	
	Pre	Post	Pre	Post	Pre	Post
# of Properties in Sequential Sampling Program	8	8	37	37	45	45
# of Properties with Preliminary Results	8	5	18	16	26	21
# of Properties with at least one Pb result above action level (15 ppb)	2	1	12	8	14	9
# of Properties with Final - Validated Results	7	1	0	0	7	1

